L Number	Hits	Search Text	DB	Time stamp
1	0	347/$.ccls. and ((cartridge with memory with element) same frequenc$3 same piezo)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:34
2	70	347/$.ccls. and (cartridge with memory with element)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:34
3	1	347/$.ccls. and ((cartridge with memory with element) same piezo)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:35
4	14	347/$.ccls. and ((cartridge with memory with element) same frequenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:38
5	3	((capacitor$1 resist$4) same frequenc$4 same piezo) and (cartridge with memory with element)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:42
6	1	(frequenc$4 with piezo) and (cartridge with memory with element)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:41
7	2	(capacitor$1 same frequenc$4) and piezo and (cartridge with memory with element)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:42
-	633	347/87.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:16
-	1574	347/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:03
-	15	347/87.ccls. and 347/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:05
-	15	(347/87.ccls. or 347/19.ccls.) and encad	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:05
-	11	347/87.ccls. and memory and test$3 and compar$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:17
-	4900	cartridge and memory and test$3 and compar$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:19
-	537	(cartridge and memory and test$3 and compar$3) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:20
-	21	((cartridge and memory and test$3 and compar$3) and 347/$.ccls.) and ((capacit$3 or resonance) with frequenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/20 19:21
-	1	347/$.ccls. and ((test$3 adj (printhead$1 head$1)) same compar$5 same cartridge$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/25 08:53

C:\APPS\EAST\Workspaces\10042946.wsp

-	10	347/$.ccls. and ((test$3 adj (printhead$1 head$1)) same cartridge$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/25 08:53
-	1	(test$3 near cartridge$1 near (head$1 printhead$1)) same characteristic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:19
-	7	(test$3 same cartridge$1 same (head$1 printhead$1) same characteristic$1) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:02
-	104	"5506611"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 08:46
-	3	5506611.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 08:46
-	0	(test$3 same generat$3 same compar$3 same (second with (data characteristic$1 value$1)) same cartridge$1) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:11
-	2	(generat$3 same compar$3 same (second with (data characteristic$1 value$1)) same cartridge$1) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:10
-	0	(test$3 same compar$3 same (second with (data characteristic$1 value$1)) same cartridge$1) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:10
-	3	(test$3 same generat$3 same compar$3 same (second with (data characteristic$1 value$1))) and cartridge$1 and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:11
-	2	(test$3 near (head$1 printhead$1) near cartridge) same characteristic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:21
-	5	(test$3 near (head$1 printhead$1) near cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:41
-	0	(memory near (maximum with minimum with value$1 with resistor$1) near cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:55
-	0	(memory near (value$1 with resistor$1) near cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:43
-	21	(memory same (value$1 with resistor$1) same cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:43
-	4	((memory same (value$1 with resistor$1) same cartridge)) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:44
-	1	(memory same (maximum with minimum with value$1 with resistor$1) same cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:59

C:\APPS\EAST\Workspaces\10042946.wsp

-	1	(memory same (predetermined with value$1 with resistor$1) same cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:57
-	5	(memory same (predetermined with resistor$1) same cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 09:57
-	3	(memory same (maximum with minimum with value$1 with (resist$4 capacit$4)) same cartridge)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 10:04
-	1	(memory same (maximum with minimum with value$1 with (resist$4 capacit$4)) same printhead$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 10:04
-	4	(memory same (maximum with minimum with value$1 with (resist$4 capacit$4)) same (printhead$1 head$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 10:10
-	103	(memory same ((capacitance resonance) with frequenc$4)) same (printhead$1 head$1 piezo$)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 10:13
-	3	((memory same ((capacitance resonance) with frequenc$4)) same (printhead$1 head$1 piezo$)) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:57
-	0	(ink adj (cartridge container)) same (memory with resist$4 with (maximum minimum) with value$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:01
-	0	(ink adj (cartridge container)) same (memory near resist$4 near (maximum minimum) near value$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 11:25
-	216	(memory with resist$4 with (maximum minimum) with value$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 11:25
-	0	((memory with resist$4 with (maximum minimum) with value$1)) and inkjet	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:08
-	28	((memory with resist$4 with (maximum minimum) with value$1)) and print$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 11:42
-	2	encad and (cartridge same memory same resistor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 11:44
-	7	eastman and (cartridge same memory same resistor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 08:25
-	3	cartridge same (memory with stor$3 with (resistor resistance) with values)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 11:54
-	2	(ink adj (cartridge container)) and (memory with resist$4 with (maximum minimum) with value$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:03

-	2	(ink adj (cartridge container)) and (memory same (resist$4 with (maximum minimum) with value$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:04
-	4	cartridge with memory with resistors	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:05
-	7	((memory with resist$4 with (maximum minimum) with value$1)) and 347/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/27 12:13
-	2	347/87.ccls. and 347/14.ccls. and 347/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:16
-	861	(printhead$1 head$1) with memory with (maximum minimum resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:20
-	20	((printhead$1 head$1) with memory with (maximum minimum resistance)) same ("IC" (integrated adj circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:18
-	2	(printhead$1 head$1) same memory same (maximum with minimum with resistance)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:28
-	5	(cartridge container) same (printhead$1 head$1) same memory same (resistance with values)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:35
-	123	(cartridge container) same (printhead$1 head$1) same (memory with (values characteristics parameters))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:37
-	7	((cartridge container) same (printhead$1 head$1) same (memory with (values characteristics parameters))) same (test$3 generat$3) same (compar$4 determin$4 adjust$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 08:38
-	1	347/19.ccls. and (cartridge same memory same (test$3 adj pattern$1) same compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:18
-	2	347/$.ccls. and (cartridge same memory same (test$3 adj pattern$1) same compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:19
-	5	347/$.ccls. and (cartridge same memory same test$3 same compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:22
-	36	((cartridge with memory) same test$3 same compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:45
-	1806875	WO "200255310"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:28
-	0	WO200255310	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:28

C:\APPS\EAST\Workspaces\10042946.wsp

-	1	"200255310"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:31
-	2	encad and broschart-$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:32
-	4	encad and (broschart-$.in. grady-$.in. pan-$.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:33
-	225	(cartridge with memory with (nozzle$1 jet$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:35
-	9	((cartridge with memory with (nozzle$1 jet$1))) same (test$3 compar$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:36
-	0	((memory RAM ROM EEPROM) adj on adj (cartridge hous$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:44
-	3430	((memory RAM ROM EEPROM) adj (cartridge hous$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:47
-	15	(((memory RAM ROM EEPROM) adj (cartridge hous$3))) same test$3 same compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:45
-	66	((memory RAM ROM EEPROM) adj ink adj (cartridge hous$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 10:47
-	0	epson and ((cartridge with memory) same resistor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 08:26
-	36	347/$.ccls. and ((cartridge with memory) same resistor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:49
-	2	6375299.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:49
-	0	347/$.ccls. and (cartridge same (capacit$3 with frequenc$3 with piezo))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:58
-	0	347/$.ccls. and (cartridge same capacit$3 same frequenc$3 same piezo)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:59
-	0	347/$.ccls. and (memory same capacit$3 same frequenc$3 same piezo)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 14:59
-	6	347/$.ccls. and (capacit$3 same frequenc$3 same piezo)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/01 17:33

C:\APPS\EAST\Workspaces\10042946.wsp